

Patient:	Doe, Jane	Medical #:		Acc #:	5
Patient #:	843	Birth:	1939-09-26	Collection Date:	2019-09-11 14:22:19
Doctor:	Physician, Requesting	Age:	79	Received in Lab:	2019-09-16 11:28:56
		Gender:		Specimen Type:	Nail Clipping

Test Name	Result	Units	Flag	Reference Range	Run By	Date Ran
Nail Fungus Panel						
Acremonium strictum	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Alternaria	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Aspergillus niger	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Aspergillus terreus	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Candida albicans	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Candida glabrata	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Candida krusei	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Candida lusitanae	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Candida parapsilosis	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Candida tropicalis	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Epidermophyton floccosum	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Fusarium solani	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Microsporum audouinii	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Microsporum canis	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Neofusicoccum mangiferae	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Trichophyton interdigitale	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm
Trichophyton rubrum	Not Detected			Not Detected	L .K.	09/16/2019 4:29pm

Note: This test was developed and its performance characteristics were determined by Tide Laboratories (CLIA# 01D2119386). The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use.